

6699

- BOM
- BOM
- “1.2.3”BOM

A 3D model of a tripod with a central vertical red pole and three yellow legs. The central pole has a red circular base and a blue spherical joint at the top. The legs are connected to the joint by green and blue segments. A coordinate system is shown with a red arrow pointing right (X), a green arrow pointing left (Y), and a blue arrow pointing up (Z).

材料清单mode1			
编号。	组件	数量	模板列_1
1	3D实体	12	12 X 1437500.00
2	DIN 2616 Eccentric Reducer	1	1 X 844627.40
3	HEX BOLT	12	12 X 72031.29
4	JIS 1601-1	1	1 X 14.43
5	JIS 1601-2	1	1 X 9.63
6	体_2	1	1 X 468147.74
7	体_3	1	1 X 2916000.00

材料清单mode1			
编号。	组件	模板列_1	数量
1	3D实体	3D实体	12
2	DIN 2616 Eccentric Reducer	DIN 2616 Eccentric Reducer	1
3	HEX BOLT	HEX BOLT	12
4	JIS 1601-1	JIS 1601-1	1
5	JIS 1601-2	JIS 1601-2	1
6	体_2	体_2	1
7	体_3	体_3	1

材料清单mode1				
编号。	组件	数量	模板列_1	Length, mm
1	DIN 2616 Eccentric Reducer	1	1.00	
2	HEX BOLT	12	12.00	63.50
3	JIS 1601-1	1	1.00	100.00
4	JIS 1601-2	1	1.00	100.00

BOM

-
-

31Bond1Tube

Count all instance

1		1
1.1		3
1.1.1		3
1.1.2		3

1139

1		1
1.1		3
1.1.1		1
1.1.2		1

BOMBMBOM

	THCAD BOM""THCADBOM
--	---------------------

BOM= 2

BOM

BOM

BmBomConfigureDescriptionDensityVolumeMassMaterialThicknessParameters

BOMDataExtraction

材料清单mode1					
编号。	组件	数量	模板列_1	模板列_2	模板列_3
1	DIN 2616 Eccentric Reducer	1	1 X 8000.00	1 X 8000.00 X 6.76	1 X 8000.00 X 6.76 X 844627.40
2	HEX BOLT	12	12.00	12.00	12.00 X 72031.29
3	JIS 1601-1	1	1.00	1.00	1.00 X 14.43
4	JIS 1601-2	1	1.00	1.00	1.00 X 9.63

BOM

BOM

THCAD

- BOMBOM

Bill of Materials Bookshelf					
No.	Component	Quantity	L	T	W
1	Frame Board	2	360.0	20.0	200.0
2	Frame Board	2	700.0	20.0	200.0
3	Shelf Board	2	266.7	2.5	200.0
4	Shelf Board	2	466.7	2.5	200.0

- BOM
- BOM

BOMBOM

THCAD BOMBOM

-
-
-
-
-
-
-

BOM

	16	250	10	1

	16	200	10	2
	16	220	20	1
	20	215	20	3
	20	225	20	1

1139

	16	10	650	216.6667	200	250	200; 250	2x200250
	16	20	220	220	220	220	220	220
	20	20	870	217.5	215	225	215; 225	3x215; 225

1139

-
-
-
- /

BOM1

- -“ A”
- -“ -1”

BOM

- -
 - -“ 1.2.3”
 - -“ 1139”
 - -1
- -Full

BmBalloon

- -
- -
- -
- -

1139 1139 1139 1139

栏属性	
标题	模板列_1
类别	公式
角色	常规列
表达式	{<BOM Standard:Quantity>\$(delim," X ")<Mass:Volum
表达式类型	DIESEL表达
公式单位	
单位类型	其他
单位(U)	
格式	
可见	是
宽度	自动
筛选	没有过滤器

- BOMWidthvale
- THCAD V20.2BOM

BOMWidthAuto

×

Volume

12.346

Format:

(none)
Current units
Decimal
Architectural
Engineering
Fractional
Scientific

Precision: 0.000

Convert: None

Prefix:

Suffix:

Decimals: . (Period)

Thousands: , (Comma)

Suppress 0:

☐ Leading

☐ 0 feet

☒ Trailing

☐ 0 inches

Format code:

%lu2%pr3%th44%zs8

OK

Cancel

BOM"" ""

BOMDataExtractionBOM

THCADBOM

- -
- -
- -

BOMBOMBMBOM

BOM

THCAD

MainDataExtractionBOM
BOMBOM""1

BOM""

过滤器配置器

×

<所有属性> ▾ OuterDiameter ▾ + × | 📌

条件

属性	条件	值	单位(U)
▢ 所有的			
Length	等于	254	
▢ 所有的			
OuterDiameter	等于	4445 ▾ 273	mm

确定

取消

00796279627962796279

- 66 99 _007962796279
- 66 99 _007962796279

-
-

00796279

Filter Configurator

Expression

"Is standard" == "Yes" and ("Part category" == "ELBOW" or "Part category" == "FLANGE" or "Part category" == "PIPE" or "Part category" == "REDUCER")

< >

==	
=	
<	
>	...
<=	
>=	

-
- ISO15926-1:2011 "true" or "false"
- ISO15926-1
- ISO15926-1
- ISO1
-
- "=="

"" == ""

ISOBOM

"" == "" "" == " ISO"

ISODINBOM

"" == "" "" == " ISO" "" == " DIN"

ISO1

"" == "" * ""

ISO15926-1

	`	
	*	
	@	
	[...]	
	[...]	
	--	

THCAD V21BOM

BOM

BOM“”

[illegible]

BOM

BOM

● —

● —

● —

THCADV21BOM¹⁴⁷⁹⁶⁶ N1⁷⁹⁶⁶ M2⁷⁹⁶⁶ N11⁷⁹⁶⁶ N2⁷⁹⁶⁶ AA1⁷⁹⁶⁶ M2⁷⁹⁶⁶ N1⁷⁹⁶⁶ N2⁷⁹⁶⁶ N11⁷⁹⁶⁶ AA1⁷⁹⁶⁶ BOM

THCAD V21

DataExtraction	FormulaExpression\ AcExprPISINUse Expressions<>	ColumnTitle

$$= \langle \rangle / \langle \rangle$$

<" ColumnTitle">

ColumnTitleDefaultValueColumnTitle"

{}

THCADBOMPParentBOM

Diesel!\$<>ColumnTitle

\$+arg1arg2 [...arg9]	
\$ - ARG1ARG2 [...arg9]	
\$*ARG1ARG2 [...arg9]	
\$/arg1arg2 [...arg9]	
\$=arg1arg2	arg1arg2110arg1arg2
\$<ARG1ARG2	arg1arg2110arg1arg2
\$>ARG1ARG2	arg1arg2110arg1arg2
\$=arg1arg2	arg1arg2110arg1arg2
\$<=arg1arg2	arg1arg2110arg1arg2
\$> =arg1arg2	arg1arg2110arg1arg2
\$andarg1arg2 [...arg9]	AND
\$angtosangle [modeprecision]	0-1- d / m / s2-3-
\$delimdelimiter_string	
\$	
\$eqarg1arg2	arg1arg2110arg1arg2
\$eval	Diesel
\$	1
\$getvar	
\$ifargthen [else]	""ARG"0; 'else"else'
\$	
\$nthpositionarg1 [arg2...arg9]	
\$arg1arg2 [...arg9]	
\$RTOS[]	
\$strlen	
\$SUBSTR[]	""1
\$	""
\$xorarg1arg2 [...arg9]	XOR

{}

THCADBOMPParentBOM

" \ n"

PartNumberWidthHeightLength

\$ {<PartNumber> \$delim" X"<Width> \$delim" X"<Height> \$delim" X"<Lenght>}

模板列_2

+ 1 ▾ 🔍 🗑️ | <所有属性> ▾ 文件名 ▾ ⌨️ ✖️ | ➕ ➖ | ↺️ ⏮️ ⏭️ ?

欢迎使用模板编辑器。使用模板网格构造模板，或在字段中键入Diesel表达式。
从下列列表中选择一个列，以将其添加到模板中。使用上下文菜单添加文本，分隔符或表达部分。
按“帮助”以查看有关模板表达式的更多信息。

标题： 模板列_2 单位： 其他 ▾

样板

BOM列	分隔符	BOM列	分隔符	BOM列	分隔符	BOM列
模板列_1	;	比例 X	X	块单位	;	文件名

预览

模板列_1	模板列_2
.2 X 1437500.00	12 X 1437500.00
. X 844627.40	1 X 844627.40; 1.00 X 毫米
.2 X 72031.29	12 X 72031.29; 1.00 X 英寸
. X 14.43	1 X 14.43; 1.00 X 毫米
. X 9.63	1 X 9.63; 1.00 X 毫米
. X 468147.74	1 X 468147.74
. X 2916000.00	1 X 2916000.00

表达式

f() {<模板列_1>\$(delim,";")<比例 X>\$(delim,"X")<块单位>\$(delim,";")<文件名>}

< >

确定

取消

BOM“”

- -BOM
- -" "<>" "< Title > <Unit>" " \ n"
 - 1.
 2. ""
 - 3.
- -
- -

1

- —
● —
● —
● —

--	--

- -
- **Sum-**
" = 1 "
- - " = 1 "
- - " = 1 "
- - " = 1 "

No footer

BOMBOM<NAME>>""BOM<NAME>BOM""<NAME>

BOM.BOM

BOM.dxd.dxdBOMBOM.BOMDataExtraction

BMBOMBOM

BOM

组件

类型	机械块
名称	model
描述	
文件	
扩展类型	
可剖切	是
标准组件	否
物料清单状态	正常的
材质	正常的
自定义属性	透明
首选方向	终端
> 钣金	排除

BOM""

- -
- -BOMBOMBOM
- -
- -


BOM

- 1.
2. ""
3. BOM

BOM

- 1.
- 2.

3. “BOM”“BOM”



BOM

THCADBOMBOM

BmBomBOMTabBOMBOM

BMBOMBMBOMPANELOPENBMBOMPANELCLOSE

BOMTHCAD1